

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product Produit	Fixed general purpose luminaires
Name and address of the Applicant Nom et adresse du demandeur	REGGIANI S.P.A. ILLUMINAZIONE Viale Monza 16 20845 Sovico (MB) Italy
Name and address of the manufacturer Nom et adresse du fabricant	REGGIANI S.P.A. ILLUMINAZIONE Viale Monza 16 20845 Sovico (MB) Italy
Name and address of the factory Nom et adresse de l'usine	REGGIANI S.P.A. ILLUMINAZIONE Viale Monza 16 20845 Sovico (MB) Italy
Rating and principal characteristics Valeurs nominales et caractéristiques principales	220-240 V~, 50/60 Hz, Class I, IP66, IK10 18 W LED modules, 26 V max, 0,70 A Refer to ANNEX 1 for the entire list of rating covered by the certificate
Trademark (if any) Marque de fabrique (si elle existe)	Reggiani S.p.A.
Type of manufacturer's Testing Laboratories used Type de programme de laboratoire d'essais constructeur	
Model / Type Ref. Réf. de type	cod 0.BG04E.WW
Additional information (if necessary may also be reported on page 2) Les informations complémentaires (si nécessaire, peuvent être indiquées sur la 2ème page)	Refer to ANNEX 1 for the entire list of models covered by the certificate
A sample of product was tested and found to be in conformity with IEC Un échantillon de ce produit a été essayé et été considéré conforme à la CEI	60598-1(ed.8) 60598-2-1(ed.1);am1
National differences / Comments Les différences nationales / Commentaires	EU Group Differences
As shown in the test report Ref. No. which forms part of this certificate Comme indiqué dans le rapport d'essais numéro de référence qui constitue partie de ce certificat	3504696.50

This CB Test Certificate is issued by the National Certification Body:

Ce Certificat d'essai OC est établi par l'Organisme National de Certification

DEKRA Certification B.V.  
Meander 1051, 6825 MJ  
Arnhem  
The Netherlands

Date: 2016-05-17

Signature: M.Triulzi



Code	Supply voltage	Insulation class	IP degree IK code	t <sub>a</sub>	Type Installation	Colour temperature
cod x.yG0zw.kk	220-240 V 50/60 Hz	I	IP66 IK10	25 °C	Ceiling / Wall	2700 K = HW 3000 K = HQ 3000 K = WW 4000 K = NN

LEGEND

x	Type of control	0 = Not dimmable V = 1-10V D = Dali T = Cut phase
y	Type of screen	B = Transparent screen C = Opal screen
z	Type of rating	3 = 13 W 500 mA 26 V max 4 = 18 W 700 mA 26 V max
w	Type of optical reflector	B = With optical narrow beams E = With optical medium beams M = With optical wide beams S = With optical asymmetric T = With optical double asymmetric U = With optical rectangular 0 = With optical very wide
kk	Type colour temperature and CRI	HW = 2700 K CRI>90 HQ = 3000 K CRI>90 WW = 3000 K CRI>80 NN = 4000 K CRI>80 DT = 2000 - 3000 K CRI>95