


Yori Linear

Our linear solution suitable for track-mounting application complements accent lighting and creates comfortable diffusive illumination.



Yori System:






Yori Linear

Yori Linear lets you create comfortable diffusive illumination that complements accent lighting. We've made this linear solution suitable for track-mounting application to integrate with the profile of the Yori projector. With five different diffusers and a variety of lengths for a single, connected or continuous line of light, the possibilities are endless.

IP: 20



Finishes:



Embossed
matt white

12



Embossed
matt black

31

Product range:



460 mm



920 mm



1380 mm

System:



Versions:



Opal



Prismatic



Louver
(UGR <19)




Opal
U-Shape



Ribbed


Technical features:

460 mm




13W
 1430-1980 lm / L70 50,000h
 2700K, 3000K, 4000K / SDCM < 3
 CRI>80, CRI>90
 On/Off, Dimm*

920 mm




26W
 2760-3815 lm / L70 50,000h
 2700K, 3000K, 4000K / SDCM < 3
 CRI>80, CRI>90
 On/Off, Dimm*

1380 mm



38W
 4315-5785 lm / L70 50,000h
 2700K, 3000K, 4000K / SDCM < 3
 CRI>80, CRI>90
 On/Off, Dimm*

Continuous line:



- Watt and lumen data refer to nominal values of the LED source, for photometric data visit reggiani.net.
 *Ready2mains technology, for more information consult factory or visit reggiani.net.

Five different diffusers



Integration with Yori projector