




Linea Luce Slim











Low



Code example:

0 . 31700 . HW 00

Accessories: p.775

Drivers: p.775

Photometric data:

www.reggiani.net

Notes:

Spring clip for surface mounting included/ Clip per ancoraggio a superficie incluso.

3 W		LOW POWER LED				Lumen maintenance: L70 B10=50,000h					
Driver	Version	*Length	Weight kg	Light beam	LED	K	CRI	lm	SDCM	Finishes	
0 Not included	31700	366,5 mm	0.04	97° Very wide	HW	2700	>85	355	<3	00 <input type="checkbox"/>	
					WW	3000	>85	370	<3		
					NN	4000	>85	390	<3		

LED nominal lumen

6 W		LOW POWER LED				Lumen maintenance: L70 B10=50,000h					
Driver	Version	*Length	Weight kg	Light beam	LED	K	CRI	lm	SDCM	Finishes	
0 Not included	31701	716,5 mm	0.075	97° Very wide	HW	2700	>85	710	<3	00 <input type="checkbox"/>	
					WW	3000	>85	740	<3		
					NN	4000	>85	780	<3		

LED nominal lumen

9 W		LOW POWER LED				Lumen maintenance: L70 B10=50,000h					
Driver	Version	*Length	Weight kg	Light beam	LED	K	CRI	lm	SDCM	Finishes	
0 Not included	31702	1066,5 mm	0.11	97° Very wide	HW	2700	>85	1066	<3	00 <input type="checkbox"/>	
					WW	3000	>85	1110	<3		
					NN	4000	>85	1170	<3		


LED nominal lumen

12 W		LOW POWER LED				Lumen maintenance: L70 B10=50,000h					
Driver	Version	*Length	Weight kg	Light beam	LED	K	CRI	lm	SDCM	Finishes	
0 Not included	31703	1416,5 mm	0.15	97° Very wide	HW	2700	>85	1421	<3	00 <input type="checkbox"/>	
					WW	3000	>85	1480	<3		
					NN	4000	>85	1560	<3		

LED nominal lumen

Low | Accessories

Mounting accessories/ Accessori montaggio



Description

Spring clip for surface mounting/
Clip per ancoraggio a superficie


Code

0.31705.0000

Low | Electrical Devices

Driver/ Alimentazioni

20 W LOWPOWER LED

Type	Code	W	Size (mm)	Cut-out	Tech. specifications	mA	Max.distance	Cable section
On/Off	0.31710.0000	20		56 mm	220/240 Vac 50/60 Hz 12Vcc	12 Vcc	5 m	1.5 mm ²

Other devices/ Altri dispositivi

Type	Code	
Dimm 1-10V	0.31561.0000	Control device Dimm 1-10V to install between driver and LED 12/24V - max 120W/ Dispositivo di controllo Dimm 1-10V da installare tra driver e LED 12/24V - max 120W
DALI Switch Dim	0.31560.0000	DALI/SWITCH DIM device to install between driver and LED 12/24V - max 120W/ Dispositivo DALI/SWITCH DIM da installare tra driver e LED 12/24V - max 120W