

Driver compatibility: Yori Semi-Recessed

Some drivers may not fit through the fitting cut out. Please check driver compatibility by looking at the table below:

Ø 22						
YORI SEMI-RECESSED Ø 22 TRIM, YORI SEMI-RECESSED Ø 22 TRIM ZOOM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
CM30, CR30	ON/OFF	0.30419.0000	115X34X19	39mm Ø	20mm Ø	No
		0.30041.0000	147x44x22	49mm Ø	20mm Ø	
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	20mm Ø	
		T.30421.0000	166x46x34	57mm Ø	20mm Ø	
	1...10V	V.30420.0000	110x52x22	52mm Ø	20mm Ø	
		V.30421.0000	130x43x30	53mm Ø	20mm Ø	
	DALI	D.30421.0000	110x52x22	52mm Ø	20mm Ø	
		D.30516.0000	147X44X30	54mm Ø	20mm Ø	

Ø 35						
YORI SEMI-RECESSED Ø 35 TRIM, YORI SEMI-RECESSED Ø 35 TRIM ZOOM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
DM31, DR31	ON/OFF	0.30423.0000	147x44x30	52mm Ø	29mm Ø	No
	PHASE CUT	T.30422.0000	127x44x28	52mm Ø	29mm Ø	
		T.30423.0000	166x83x35	90mm Ø	29mm Ø	
	1...10V	V.30422.0000	160x41x30	52mm Ø	29mm Ø	
		V.30423.0000	130x43x30	53mm Ø	29mm Ø	
	DALI	D.30422.0000	160x41x30	52mm Ø	29mm Ø	
D.30423.0000		147X44X30	54mm Ø	29mm Ø		
YORI SEMI-RECESSED Ø 35 TRIMLESS, YORI SEMI-RECESSED Ø 35 TRIMLESS ZOOM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
RM31, RR31	ON/OFF	0.30423.0000	147x44x30	52mm Ø	37mm Ø	No
	PHASE CUT	T.30422.0000	127x44x28	52mm Ø	37mm Ø	
		T.30423.0000	166x83x35	90mm Ø	37mm Ø	
	1...10V	V.30422.0000	160x41x30	52mm Ø	37mm Ø	
		V.30423.0000	130x43x30	53mm Ø	37mm Ø	
	DALI	D.30422.0000	160x41x30	52mm Ø	37mm Ø	
D.30423.0000		147X44X30	54mm Ø	37mm Ø		
YORI SEMI-RECESSED Ø 35 TRIM PRO						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
BM32	ON/OFF	0.30446.000	147x44x30	57mm Ø	29mm Ø	No
		0.30446.SLIM	190x30x21	37mm Ø	29mm Ø	
	PHASE CUT	T.30446.000	166x46x34	57mm Ø	29mm Ø	
	1...10V	V.30446.000	110x52x22	56mm Ø	29mm Ø	
		V.30447.000	130x43x30	53mm Ø	29mm Ø	
	DALI	D.30446.000	108x52x22	56mm Ø	29mm Ø	
D.30447.SLIM		220x30x21	37mm Ø	29mm Ø		

YORI SEMI-RECESSED ø 35 TRIMLESS PRO						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
HM32	ON/OFF	0.30446.000	147x44x30	57mm Ø	39mm Ø	No
		0.30446.SLIM	190x30x21	37mm Ø	39mm Ø	
	PHASE CUT	T.30446.000	166x46x34	57mm Ø	39mm Ø	
	1...10V	V.30446.000	110x52x22	56mm Ø	39mm Ø	
		V.30447.000	130x43x30	53mm Ø	39mm Ø	
	DALI	D.30446.000	108x52x22	56mm Ø	39mm Ø	
		D.30447.SLIM	220x30x21	37mm Ø	39mm Ø	

Ø 43						
YORI SEMI-RECESSED Ø 43 TRIM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
4M30	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	45mm Ø	No
	PHASE CUT	T.30421.0000	166x46x34	57mm Ø	45mm Ø	
	1...10V	V.30420.0000	110x52x22	56mm Ø	45mm Ø	
		V.30421.0000	130x43x30	53mm Ø	45mm Ø	
	DALI	D.30420.0000	108x52x22	56mm Ø	45mm Ø	
		D.30421.SLIM	220x30x21	37mm Ø	45mm Ø	
FM31, FM41	ON/OFF	0.30375.0000	115X34X19	39mm Ø	45mm Ø	No
		0.30431.SLIM	190x30x21	37mm Ø	45mm Ø	Yes
	PHASE CUT	T.30370.0000	99x39x23	45mm Ø	45mm Ø	No
		T.30412.0000.EU	166x46x34	57mm Ø	45mm Ø	No
	1...10V	V.30839.0000	110x52x22	56mm Ø	45mm Ø	No
		V.30421.0000	130x43x30	53mm Ø	45mm Ø	No
	DALI	D.30370.0000	108x52x22	56mm Ø	45mm Ø	No
		D.30431.SLIM	220x30x21	37mm Ø	45mm Ø	Yes
FM32, FM42	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	45mm Ø	Yes
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	45mm Ø	Yes
		T.30421.0000	166x46x34	57mm Ø	45mm Ø	No
	1...10V	V.30420.0000	110x52x22	56mm Ø	45mm Ø	No
		V.30421.0000	130x43x30	53mm Ø	45mm Ø	No
	DALI	D.30420.0000	108x52x22	56mm Ø	45mm Ø	No
		D.30421.SLIM	220x30x21	37mm Ø	45mm Ø	Yes

YORI SEMI-RECESSED Ø 43 TRIMLESS						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
5M30	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	37mm Ø	No
	PHASE CUT	T.30421.0000	166x46x34	57mm Ø	37mm Ø	
		T.30420.0000	166x46x34	36mm Ø	37mm Ø	
	1...10V	V.30420.0000	110x52x22	56mm Ø	37mm Ø	
		V.30421.0000	130x43x30	53mm Ø	37mm Ø	
DALI	D.30420.0000	108x52x22	56mm Ø	37mm Ø		
TM31, TM41	ON/OFF	0.30375.0000	115X34X19	39mm Ø	37mm Ø	No
		0.30431.SLIM	190x30x21	37mm Ø	37mm Ø	
	PHASE CUT	T.30370.0000	99x39x23	45mm Ø	37mm Ø	
		T.30412.0000.EU	166x46x34	57mm Ø	37mm Ø	
	1...10V	V.30839.0000	110x52x22	56mm Ø	37mm Ø	
		V.30421.0000	130x43x30	53mm Ø	37mm Ø	
	DALI	D.30370.0000	108x52x22	56mm Ø	37mm Ø	
D.30431.SLIM		220x30x21	37mm Ø	37mm Ø		
TM32, TM42	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	37mm Ø	No
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	37mm Ø	
		T.30421.0000	166x46x34	57mm Ø	37mm Ø	
	1...10V	V.30420.0000	110x52x22	56mm Ø	37mm Ø	
		V.30421.0000	130x43x30	53mm Ø	37mm Ø	
	DALI	D.30420.0000	108x52x22	56mm Ø	37mm Ø	
D.30421.SLIM		220x30x21	37mm Ø	37mm Ø		

YORI SEMI-RECESSED ø 43 PRO TRIM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
1M32, YM32, YM42	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	45mm Ø	Yes
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	45mm Ø	Yes
		T.30421.0000	166x46x34	57mm Ø	45mm Ø	No
	1...10V	V.30420.0000	110x52x22	56mm Ø	45mm Ø	No
		V.30421.0000	130x43x30	53mm Ø	45mm Ø	No
	DALI	D.30420.0000	108x52x22	56mm Ø	45mm Ø	No
D.30421.SLIM		220x30x21	37mm Ø	45mm Ø	Yes	
YM33, YM43	ON/OFF	0.30506.0000	147x44x30	57mm Ø	45mm Ø	No
	PHASE CUT	T.30506.0000	110x52x22	57mm Ø	45mm Ø	No
	1...10V	V.30506.0000	130x43x30	53mm Ø	45mm Ø	No
	DALI	D.30506.0000	160x41x30	51mm Ø	45mm Ø	No
YORI SEMI-RECESSED ø 43 PRO TRIMLESS						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
XM32, WM32, WM42	ON/OFF	0.30421.SLIM	190x30x21	37mm Ø	39mm Ø	No
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	39mm Ø	
	1...10V	V.30420.0000	110x52x22	56mm Ø	39mm Ø	
	DALI	D.30421.SLIM	220x30x21	37mm Ø	39mm Ø	
WM33, WM43	ON/OFF	0.30506.0000	147x44x30	57mm Ø	37mm Ø	No
	PHASE CUT	T.30506.0000	110x52x22	57mm Ø	37mm Ø	
	1...10V	V.30506.0000	130x43x30	53mm Ø	37mm Ø	
	DALI	D.30506.0000	160x41x30	51mm Ø	37mm Ø	

YORI SEMI-RECESSED ø 43 ZOOM TRIM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
FR32	ON/OFF	0.30511.0000	190x30x21	37mm Ø	45mm Ø	Yes
	PHASE CUT	T.30511.0000	110x52x22	57mm Ø	45mm Ø	No
	1...10V	V.30511.0000	110x52x22	57mm Ø	45mm Ø	No
	DALI	D.30511.0000	220x30x21	37mm Ø	45mm Ø	Yes
YORI SEMI-RECESSED ø 43 ZOOM TRIMLESS						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
TR32	ON/OFF	0.30511.0000	190x30x21	37mm Ø	39mm Ø	Yes
	PHASE CUT	T.30511.0000	110x52x22	57mm Ø	39mm Ø	No
	1...10V	V.30511.0000	110x52x22	57mm Ø	39mm Ø	No
	DALI	D.30511.0000	220x30x21	37mm Ø	39mm Ø	No

Ø 60						
YORI SEMI-RECESSED Ø 60 TRIM, YORI SEMI-RECESSED Ø 60 TRIM ZOOM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
NM32, VM32	ON/OFF	0.30412.0000	147x44x22	49mm Ø	55mm Ø	Yes
		0.30421.SLIM	190x30x21	37mm Ø	55mm Ø	Yes
	PHASE CUT	T.30420.0000	135x30x20	36mm Ø	55mm Ø	Yes
		T.30421.0000	166x46x34	57mm Ø	55mm Ø	No
	1...10V	V.30420.0000	110x52x22	56mm Ø	55mm Ø	No
		V.30421.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30420.0000	108x52x22	56mm Ø	55mm Ø	No
		D.30421.SLIM	220x30x21	37mm Ø	55mm Ø	Yes
GM32, GM42	ON/OFF	0.30021.0000	149x44x22	49mm Ø	55mm Ø	Yes
		0.30021.SLIM	190x30x21	37mm Ø	55mm Ø	Yes
	PHASE CUT	T.30021.0000	102x38x21	44mm Ø	55mm Ø	Yes
	1...10V	V.30021.0000	110x52x22	57mm Ø	55mm Ø	No
	DALI	D.30021.0000	111x52x22	56mm Ø	55mm Ø	No
		D.30021.SLIM	220x30x21	37mm Ø	55mm Ø	Yes
GM33, GM43, GR33	ON/OFF	0.30412.0000	147x44x22	49mm Ø	55mm Ø	Yes
		0.30412.SLIM	190x30x21	37mm Ø	55mm Ø	Yes
	PHASE CUT	T.30412.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30040.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30040.0000	147x44x30	54mm Ø	55mm Ø	Yes
		D.30040.SLIM	220x30x21	37mm Ø	55mm Ø	Yes
GM34, GM44, GR34	ON/OFF	0.30400.0000	147x44x22	49mm Ø	55mm Ø	Yes
		0.30400.SLIM	190x30x21	37mm Ø	55mm Ø	Yes
	PHASE CUT	T.30400.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30400.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30400.0000	147x44x30	54mm Ø	55mm Ø	Yes
		D.30400.SLIM	220x30x21	37mm Ø	55mm Ø	Yes

YORI SEMI-RECESSED \varnothing 60 TRIMLESS, YORI SEMI-RECESSED \varnothing 60 TRIMLESS ZOOM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
UM32, UM42	ON/OFF	0.30412.0000	147x44x22	49mm \varnothing	58mm \varnothing	No
		0.30421.SLIM	190x30x21	37mm \varnothing	58mm \varnothing	Yes
	PHASE CUT	T.30420.0000	135x30x20	36mm \varnothing	58mm \varnothing	Yes
		T.30421.0000	166x46x34	57mm \varnothing	58mm \varnothing	No
	1...10V	V.30420.0000	110x52x22	56mm \varnothing	58mm \varnothing	No
		V.30421.0000	130x43x30	53mm \varnothing	58mm \varnothing	No
	DALI	D.30420.0000	108x52x22	56mm \varnothing	58mm \varnothing	No
		D.30421.SLIM	220x30x21	37mm \varnothing	58mm \varnothing	Yes
UM33, UM43, UR33	ON/OFF	0.30412.SLIM	190x30x21	37mm \varnothing	58mm \varnothing	Yes
	DALI	D.30040.SLIM	220x30x21	37mm \varnothing	58mm \varnothing	Yes
UM34, UR34	ON/OFF	0.30400.SLIM	190x30x21	37mm \varnothing	58mm \varnothing	Yes
	DALI	D.30400.SLIM	220x30x21	37mm \varnothing	58mm \varnothing	Yes

ø 75						
YORI SEMI-RECESSED ø 75 TRIM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
LM33, LM43, PM34	ON/OFF	0.30412.0000	147x44x22	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30412.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30040.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30040.0000	147x44x30	54mm Ø	55mm Ø	Yes
LM34, LM44	ON/OFF	0.30400.0000	147x44x22	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30400.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30400.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30400.0000	147x44x30	54mm Ø	55mm Ø	Yes
LM36, LM46	ON/OFF	0.30041.0000	147x44x22	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30041.0000	166x46x34	57mm Ø	55mm Ø	No
	1..10V	V.30041.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30041.0000	147x44x30	54mm Ø	55mm Ø	Yes
LM37, LM47	ON/OFF	0.30345.0000	147x42x30	52mm Ø	55mm Ø	Yes
	PHASE CUT	T.30345.0000	166x46x34	57mm Ø	55mm Ø	No
	1..10V	V.30345.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30345.0000	147x44x30	54mm Ø	55mm Ø	Yes

YORI SEMI-RECESSED Ø 75 TRIMLESS						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
ZM33, ZM43	ON/OFF	0.30412.0000	147x44x22	49mm Ø	92mm Ø	Yes
	PHASE CUT	T.30412.0000	111x52x22	57mm Ø	92mm Ø	
	1..10V	V.30040.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30040.0000	147x44x30	54mm Ø	92mm Ø	
KM34, ZM44	ON/OFF	0.30400.0000	147x44x22	49mm Ø	92mm Ø	
	PHASE CUT	T.30400.0000	111x52x22	57mm Ø	92mm Ø	
	1..10V	V.30400.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30400.0000	147x44x30	54mm Ø	92mm Ø	
ZM36, ZM46	ON/OFF	0.30041.0000	147x44x22	49mm Ø	92mm Ø	
	PHASE CUT	T.30041.0000	166x46x34	57mm Ø	92mm Ø	
	1..10V	V.30041.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30041.0000	147x44x30	54mm Ø	92mm Ø	
ZM37, ZM47	ON/OFF	0.30345.0000	147x42x30	52mm Ø	92mm Ø	
	PHASE CUT	T.30345.0000	166x46x34	57mm Ø	92mm Ø	
	1..10V	V.30345.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30345.0000	147x44x30	54mm Ø	92mm Ø	

Ø 95						
YORI SEMI-RECESSED Ø 95 TRIM						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
MM33, MM43	ON/OFF	0.30412.0000	147x42x30	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30412.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30040.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30040.0000	147x44x30	54mm Ø	55mm Ø	Yes
QM34, MM34, MM44	ON/OFF	0.30400.0000	147x42x30	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30400.0000	111x52x22	57mm Ø	55mm Ø	No
	1..10V	V.30400.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30400.0000	147x44x30	54mm Ø	55mm Ø	Yes
MM36, MM46	ON/OFF	0.30041.0000	130x42x30	49mm Ø	55mm Ø	Yes
	PHASE CUT	T.30041.0000	185x43x29	52mm Ø	55mm Ø	Yes
	1..10V	V.30041.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30041.0000	147x44x30	54mm Ø	55mm Ø	Yes
MM38, MM48	ON/OFF	0.30408.0000	130x42x30	52mm Ø	55mm Ø	Yes
	PHASE CUT	T.30408.0000	165x40x30	50mm Ø	55mm Ø	Yes
	1..10V	V.30408.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30408.0000	147x44x30	54mm Ø	55mm Ø	Yes
MM39, MM49	ON/OFF	0.30409.0000	130x42x30	52mm Ø	55mm Ø	Yes
	PHASE CUT	T.30409.0000	165x40x30	50mm Ø	55mm Ø	Yes
	1..10V	V.30409.0000	130x43x30	53mm Ø	55mm Ø	Yes
	DALI	D.30409.0000	147x44x30	54mm Ø	55mm Ø	Yes

YORI SEMI-RECESSED Ø 95 TRIMLESS						
Product code	Driver type	Driver code	Driver sizes	Driver cut out	Product cut out	Fit through cut out
KM33, KM43	ON/OFF	0.30412.0000	147x42x30	49mm Ø	92mm Ø	Yes
	PHASE CUT	T.30412.0000	111x52x22	57mm Ø	92mm Ø	
	1..10V	V.30040.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30040.0000	147x44x30	54mm Ø	92mm Ø	
2M34, KM34, KM44	ON/OFF	0.30400.0000	147x42x30	49mm Ø	92mm Ø	
	PHASE CUT	T.30400.0000	111x52x22	57mm Ø	92mm Ø	
	1..10V	V.30400.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30400.0000	147x44x30	54mm Ø	92mm Ø	
KM36, KM46	ON/OFF	0.30041.0000	130x42x30	49mm Ø	92mm Ø	
	PHASE CUT	T.30041.0000	185x43x29	52mm Ø	92mm Ø	
	1..10V	V.30041.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30041.0000	147x44x30	54mm Ø	92mm Ø	
KM38, KM48	ON/OFF	0.30408.0000	130x42x30	52mm Ø	92mm Ø	
	PHASE CUT	T.30408.0000	165x40x30	50mm Ø	92mm Ø	
	1..10V	V.30408.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30408.0000	147x44x30	54mm Ø	92mm Ø	
KM39, KM49	ON/OFF	0.30409.0000	130x42x30	52mm Ø	92mm Ø	
	PHASE CUT	T.30409.0000	165x40x30	50mm Ø	92mm Ø	
	1..10V	V.30409.0000	130x43x30	53mm Ø	92mm Ø	
	DALI	D.30409.0000	147x44x30	54mm Ø	92mm Ø	