

Driver compatibility: Mood Pro

Some drivers may not fit through the fitting cut out.

Please check driver compatibility by looking at the table here below:

Product code	Driver type	Driver code	Driver sizes	Product cuthole	Effective hole for driver passage (with trimless flange installed)	Driver fits product hole
XS Mood Pro Fixed Round - Trim						
BP10	On/Off	0.30423.0000	147x44x30	Ø 37mm	Ø 37mm	No
	Phase Cut	T.30422.0000	127x44x28	Ø 37mm	Ø 37mm	No
		T.30423.0000	166x83x35	Ø 37mm	Ø 37mm	No
	1...10v	V.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
		V.30423.0000	130x43x30	Ø 37mm	Ø 37mm	No
	DALI	D.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
D.30423.0000		147x44x30	Ø 37mm	Ø 37mm	No	
XS Mood Pro Fixed Round - Trimless						
CP10	On/Off	0.30423.0000	147x44x30	Ø 37mm	Ø 37mm	No
	Phase Cut	T.30422.0000	127x44x28	Ø 37mm	Ø 37mm	No
		T.30423.0000	166x83x35	Ø 37mm	Ø 37mm	No
	1...10v	V.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
		V.30423.0000	130x43x30	Ø 37mm	Ø 37mm	No
	DALI	D.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
D.30423.0000		147x44x30	Ø 37mm	Ø 37mm	No	
XS Mood Pro Fixed Square - Trim						
DP10 GP10 LP10	On/Off	0.30423.0000	147x44x30	Ø 37mm	Ø 37mm	No
	Phase Cut	T.30422.0000	127x44x28	Ø 37mm	Ø 37mm	No
		T.30423.0000	166x83x35	Ø 37mm	Ø 37mm	No
	1...10v	V.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
		V.30423.0000	130x43x30	Ø 37mm	Ø 37mm	No
	DALI	D.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
D.30423.0000		147x44x30	Ø 37mm	Ø 37mm	No	
XS Mood Pro Fixed Square - Trimless						
FP10 HP10 MP10	On/Off	0.30423.0000	147x44x30	Ø 37mm	Ø 37mm	No
	Phase Cut	T.30422.0000	127x44x28	Ø 37mm	Ø 37mm	No
		T.30423.0000	166x83x35	Ø 37mm	Ø 37mm	No
	1...10v	V.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
		V.30423.0000	130x43x30	Ø 37mm	Ø 37mm	No
	DALI	D.30422.0000	160x41x30	Ø 37mm	Ø 37mm	No
D.30423.0000		147x44x30	Ø 37mm	Ø 37mm	No	

Product code	Driver type	Driver code	Driver sizes	Product cuthole	Effective hole for driver passage (with trimless flange installed)	Fit through cut out
S Mood Pro Fixed Round - Trim (4W)						
BP1A XP1A	On/Off	0.30368.0000	115X34X19	Ø 58mm	Ø 58mm	Yes
		0.30431.0000	147x44x22	Ø 58mm	Ø 58mm	Yes
	Phase Cut	T.30368.0000	135x30x20	Ø 58mm	Ø 58mm	No
		T.30386.0000	166x46x34	Ø 58mm	Ø 58mm	No
	1...10v	V.30386.0000	110x52x22	Ø 58mm	Ø 58mm	Yes
		V.30431.0000	130x43x30	Ø 58mm	Ø 58mm	Yes
DALI	D.30386.0000	108x52x22	Ø 58mm	Ø 58mm	Yes	
S Mood Pro Fixed Round - Trim (8,5W)						
BP12 RG22	On/Off	0.30419.0000	115X34X19	Ø 58mm	Ø 58mm	Yes
		0.30041.0000	147x44x22	Ø 58mm	Ø 58mm	Yes
	Phase Cut	T.30420.0000	135x30x20	Ø 58mm	Ø 58mm	Yes
		T.30421.0000	166x46x34	Ø 58mm	Ø 58mm	No
	1...10v	V.30420.0000	110x52x22	Ø 58mm	Ø 58mm	Yes
		V.30421.0000	130x43x30	Ø 58mm	Ø 58mm	Yes
	DALI	D.30420.0000	131x43x22	Ø 58mm	Ø 58mm	Yes
		D.30421.0000	147X44X30	Ø 58mm	Ø 58mm	Yes
S Mood Pro Fixed Round - Trimless (4W)						
CP1A YP1A	On/Off	0.30368.0000	115X34X19	Ø 58mm	Ø 41mm	No
		0.30431.0000	147x44x22	Ø 58mm	Ø 41mm	No
	Phase Cut	T.30368.0000	135x30x20	Ø 58mm	Ø 41mm	No
		T.30386.0000	166x46x34	Ø 58mm	Ø 41mm	No
	1...10v	V.30386.0000	110x52x22	Ø 58mm	Ø 41mm	No
		V.30431.0000	130x43x30	Ø 58mm	Ø 41mm	No
DALI	D.30386.0000	108x52x22	Ø 58mm	Ø 41mm	No	
S Mood Pro Fixed Round - Trimless (8,5W)						
CP12 TG22	On/Off	0.30419.0000	115X34X19	Ø 58mm	Ø 41mm	Yes
		0.30041.0000	147x44x22	Ø 58mm	Ø 41mm	No
	Phase Cut	T.30420.0000	135x30x20	Ø 58mm	Ø 41mm	Yes
		T.30421.0000	166x46x34	Ø 58mm	Ø 41mm	No
	1...10v	V.30420.0000	110x52x22	Ø 58mm	Ø 41mm	No
		V.30421.0000	130x43x30	Ø 58mm	Ø 41mm	No
	DALI	D.30420.0000	108x52x22	Ø 58mm	Ø 41mm	No
		D.30421.0000	147X44X30	Ø 58mm	Ø 41mm	No

Product code	Driver type	Driver code	Driver sizes	Product cuthole	Effective hole for driver passage (with trimless flange installed)	Fit through cut out
S Mood Pro Fixed Square - Trim (4W)						
DP1A	On/Off	0.30368.0000	68x35x21,5	58x58mm	58x58mm	Yes
		0.30431.0000	130x42x30	58x58mm	58x58mm	Yes
	Phase Cut	T.30368.0000	102x49x29	58x58mm	58x58mm	No
		T.30386.0000	166x46x34	58x58mm	58x58mm	No
	1...10v	V.30386.0000	110x52x22	58x58mm	58x58mm	Yes
		V.30431.0000	100x43x30	58x58mm	58x58mm	Yes
DALI	D.30386.0000	131x43x22	58x58mm	58x58mm	Yes	
S Mood Pro Fixed Square - Trim (8,5W)						
DP12	On/Off	0.30419.0000	115X34X19	58x58mm	58x58mm	Yes
		0.30041.0000	147x44x22	58x58mm	58x58mm	Yes
	Phase Cut	T.30420.0000	135x30x20	58x58mm	58x58mm	Yes
		T.30421.0000	166x46x34	58x58mm	58x58mm	No
	1...10v	V.30420.0000	110x52x22	58x58mm	58x58mm	Yes
		V.30421.0000	130x43x30	58x58mm	58x58mm	Yes
	DALI	D.30420.0000	131x43x22	58x58mm	58x58mm	Yes
		D.30421.0000	147X44X30	58x58mm	58x58mm	Yes
S Mood Pro Fixed Square - Trimless (4W)						
FP1A	On/Off	0.30368.0000	115X34X19	58x58mm	43x31mm	No
		0.30431.0000	147x44x22	58x58mm	43x31mm	Yes
	Phase Cut	T.30368.0000	135x30x20	58x58mm	43x31mm	No
		T.30386.0000	166x46x34	58x58mm	43x31mm	No
	1...10v	V.30386.0000	110x52x22	58x58mm	43x31mm	No
		V.30431.0000	130x43x30	58x58mm	43x31mm	Yes
DALI	D.30386.0000	108x52x22	58x58mm	43x31mm	Yes	
S Mood Pro Fixed Square - Trimless (8,5W)						
FP12	On/Off	0.30419.0000	115X34X19	58x58mm	43x31mm	Yes
		0.30041.0000	147x44x22	58x58mm	43x31mm	Yes
	Phase Cut	T.30420.0000	135x30x20	58x58mm	43x31mm	Yes
		T.30421.0000	166x46x34	58x58mm	43x31mm	No
	1...10v	V.30420.0000	110x52x22	58x58mm	43x31mm	No
		V.30421.0000	130x43x30	58x58mm	43x31mm	No
	DALI	D.30420.0000	108x52x22	58x58mm	43x31mm	No
		D.30421.0000	147X44X30	58x58mm	43x31mm	No

Product code	Driver type	Driver code	Driver sizes	Product cuthole	Effective hole for driver passage (with trimless flange installed)	Fit through cut out
S Mood Pro Adjustable Round - Trim (4W)						
GP1A	On/Off	0.30368.0000	115X34X19	Ø 58mm	Ø 58mm	Yes
		0.30431.0000	147x44x22	Ø 58mm	Ø 58mm	No
	Phase Cut	T.30368.0000	135x30x20	Ø 58mm	Ø 58mm	No
		T.30386.0000	166x46x34	Ø 58mm	Ø 58mm	No
	1...10v	V.30386.0000	110x52x22	Ø 58mm	Ø 58mm	No
		V.30431.0000	130x43x30	Ø 58mm	Ø 58mm	No
DALI	D.30386.0000	108x52x22	Ø 58mm	Ø 58mm	No	
S Mood Pro Adjustable Round - Trim (8,5W)						
GP12	On/Off	0.30419.0000	115X34X19	Ø 58mm	Ø 58mm	Yes
		0.30041.0000	147x44x22	Ø 58mm	Ø 58mm	No
	Phase Cut	T.30420.0000	135x30x20	Ø 58mm	Ø 58mm	Yes
		T.30421.0000	166x46x34	Ø 58mm	Ø 58mm	No
	1...10v	V.30420.0000	110x52x22	Ø 58mm	Ø 58mm	No
		V.30421.0000	130x43x30	Ø 58mm	Ø 58mm	No
	DALI	D.30420.0000	131x43x22	Ø 58mm	Ø 58mm	No
		D.30421.0000	147X44X30	Ø 58mm	Ø 58mm	No
S Mood Pro Adjustable Square - Trimless (4W)						
LP1A	On/Off	0.30368.0000	115X34X19	Ø 58mm	Ø 47mm	Yes
		0.30431.0000	147x44x22	Ø 58mm	Ø 47mm	No
	Phase Cut	T.30368.0000	135x30x20	Ø 58mm	Ø 47mm	No
		T.30386.0000	166x46x34	Ø 58mm	Ø 47mm	No
	1...10v	V.30386.0000	110x52x22	Ø 58mm	Ø 47mm	No
		V.30431.0000	130x43x30	Ø 58mm	Ø 47mm	No
DALI	D.30386.0000	108x52x22	Ø 58mm	Ø 47mm	No	
S Mood Pro Adjustable Square - Trimless (8,5W)						
LP12	On/Off	0.30419.0000	115X34X19	Ø 58mm	Ø 47mm	Yes
		0.30041.0000	147x44x22	Ø 58mm	Ø 47mm	No
	Phase Cut	T.30420.0000	135x30x20	Ø 58mm	Ø 47mm	Yes
		T.30421.0000	166x46x34	Ø 58mm	Ø 47mm	No
	1...10v	V.30420.0000	110x52x22	Ø 58mm	Ø 47mm	No
		V.30421.0000	130x43x30	Ø 58mm	Ø 47mm	No
	DALI	D.30420.0000	108x52x22	Ø 58mm	Ø 47mm	No
		D.30421.0000	147X44X30	Ø 58mm	Ø 47mm	No

Mood Pro (M / L / XL):

All the drivers connected to the product can be installed without the necessity to remote it as the product cuthole is larger than the driver cuthole.

NOTE:

Mood Pro (XS / S):

The drivers marked as "Yes" in the "Fit through cut out" column can be installed without the need for remote placement, as the hole and the product's recess depth provide sufficient space for the driver's installation.